



Short Research Report

Preventing depression in adolescence through social and emotional learning.

Hannelore Reicher^a, Marlies Maticsek-Jauk^b

^aUniversity of Graz, Graz, Austria

^bUniversity College of Teacher Education Styria, Graz, Austria

First submission 14th August 2017; Accepted for publication 7th November 2017.

A major health concern in young people

Depression is a major and increasingly frequent health problem among young people (WHO, 2017). Adolescence is a peak time for the first onset of depression (Seeley & Lewinsohn, 2008). Recent epidemiological data from Europe and the United States shows concerning trends in the emotional health of young people. A US-based study reported a life-time prevalence of 11 %, a 12-month prevalence of 7.5 %, 3 % suffering from severe forms of depression, and 8 % from moderate depression (Avenevoli, Swendon, He, Burstein, & Merkinagas, 2015). An extensive international study based on self-reports of 13 000 European young people reports that 10 % exhibit significant depressive symptoms (Balasz et al., 2013). A study with a random sample of 3256 young people aged 7 to 19 years in Germany, based on parent- and self-reports (Bettge, Wille, Barkman, Schulte-Markwort, Ravens-Sieberer, & the BELLA study group, 2008) found that 11.2 % experience considerable depressive symptoms. The self-reports, however, showed that 16.1 % described themselves depressed, with 11.3 % of boys and 20.8 % of girls reporting feeling depressed. Moreover, comorbid disorders are prevalent: Nearly 75% of depressed adolescents show anxiety disorders, conduct disorders, aggressive behaviour and substance abuse (Reicher & Rossmann, 2008).

Despite these high prevalence rates, teachers tend to overlook depressive symptoms in adolescents, while peers are not able to recognize such symptoms appropriately (Reicher, 2003). In a study with 422 adolescents in Austria, self-report depression scales were administered and compared with peer-reports of

¹ Corresponding author. Email address: hannelore.reicher@uni-graz.at

depression. Additionally 16 teachers assessed a total number of 80 students. The statistical analyses show that correlations between self-reports of depression and peer-assessments were significant, but low. Furthermore, no correlation was found between students' self-reports of depression and teachers' ratings. These results underline that teachers were not able to recognize depressive symptoms in students; students and teachers rate depressive symptoms in different ways. Moreover, peers have difficulties in identifying depressive symptoms in their friends accurately, even if during adolescence peers are central aspect of the social network (Reicher, 2003).

Social and emotional learning for the prevention of depression.

Numerous international school-based universal prevention programs have been developed to target social-emotional learning as a protective vehicle to prevent problematic youth behaviour and promote mental health and wellbeing. Recent contributions underline that social-emotional learning can be seen as an important tool for mental health promotion in young people (Greenberg, Domitrovich, Weissberg, & Durlak, 2017). Various reviews of studies have found that school based social and emotional learning programmes have been found in reducing depression in children and young people (Corrieri, Heider, Conrad, Blume, König, & Riedel-Heller, 2014; Durlak et al, 2011; Sklad et al, 2012; Taylor et al, 2017). We present a case study from a depression prevention programme implemented in Austria in which we have been involved.

Health and Optimism Program

The universal prevention program "Gesundheit und Optimismus" GO! (Health and Optimism) was developed for adolescents aged 11 to 18 (Junge, Neumer, Manz, & Margraf, 2002). This 16-hours-program focuses on the prevention of stress, anxiety and depression by strengthening social and emotional skills based on a theoretical cognitive-behavioural framework. In a quasi-experimental intervention study by Reicher, Jauk, & Wieser (2007), 47 adolescents aged 11-16 years completed the training. The evaluation showed a significant increase in knowledge about mental health problems (mental health literacy) and decrease in depression in the experimental group. Gender differences could only be found for girls who scored higher on mental health literacy.

In another evaluation study Jauk et al. (2010) made use of a combination of quantitative and qualitative research methods with 781 Austrian students aged 11-21 years. Results showed that the program has different effects depending on age and gender. In general, girls rated more positively on all factors evaluated than boys. We also found significant age group effects, with stronger program effect in early and middle adolescence than later adolescence.

Jauk and Wieser (2011) carried out an evaluation of a program adaptation called 'Health and Optimism for Teachers' with 48 teachers. Results revealed that the training group showed a significant increase in knowledge on mental health problems as well as a significant decrease in perceived depression, anxiety and occupational workload (see also Jauk & Reicher, 2012).

Conclusion

On the basis of the literature and our own research we propose systematic social-emotional learning in schools as a vehicle for the prevention of depression through the following processes (Reicher, 2017; Reicher & Maticsek-Jauk, in press):

- SEL-programs help to improve classroom climate and reduce bullying (Maticsek-Jauk, Krammer, & Reicher, 2017).
- SEL fosters a caring community of learners; students experience themselves as valued, contributing, influential members of a classroom or school (Reicher, 2010b).
- SEL-programs support teachers in building caring and responsive relationships with their students. Teachers are “on the front line of prevention science” (Dana & Hooser, 2015, p. 89). The incorporation of knowledge on social-emotional development and SEL content in teacher preparation programs is urgently needed (Talvio, 2014).
- SEL facilitates insight into the emotional world of adolescents through social exchange, talking or creative activities like expressive writing. This may be an opportunity to improve the otherwise difficult recognition and understanding of mental health problems by teachers and peers.
- SEL fosters social participation: To combat the stigma of mental health problems we need developmentally appropriate anti-stigma interventions. Systematic social-emotional learning can play a crucial part in this process.
- SEL helps to improve social and emotional competences. This is important for depressed young people and non-depressed peers to cope effectively with developmental tasks. Both are empowered to express understanding and help in emotional crises.

References

- Avenevoli, S., Swendson, J., He, J. P., Burstein, M., & Merikangas, K. R. (2015). Major depression in the National Comorbidity Survey – Adolescent supplement: prevalence, correlates and treatment. *Journal of the American Academy of Child and Adolescent Psychiatry*, 54(1), 37–44.
- Balasz, J., Miklósi, M., Keresztény, A., Hoven, C. W., Carli, V., Wasserman, C., & Wasserman, D. (2013). Adolescent sub threshold depression and anxiety: Psychopathology, functional impairment and increased suicide risk. *Journal of Child Psychology and Psychiatry*, 54(6), 670–677.
- Bettge, S., Wille, D. P. N., Barkmann, C., Schulte-Markwort, M. Ravens-Sieberer, U., & BELLA study group (2008). Depressive symptoms of children and adolescents in a German representative sample: Results of the BELLA study. *European Child and Adolescent Psychiatry*, 17(suppl. 1), 71–81. doi: 10.1007/s00787-008-1008-x

- Corrieri, S., Heider, D., Conrad, I., Blume, A., König, H. H., & Riedel-Heller, S. G. (2014). School-based prevention programs for depression and anxiety in adolescence: a systematic review. *Health Promotion International*, 29(3), 427–441. doi: 10.1093/heapro/dat001
- Dana, N.F., & Hooser, A. (2015). Teachers on the front line of prevention science. In K. Bosworth (Ed.), *Prevention Science in school settings. Advances in Prevention Science* (pp. 89–103). New York: Springer.
- Durlak, J. A., Weissberg, R. P., Dymnicki, A. B., & Taylor, R. D. (2011). The impact of enhancing students' social and emotional learning: A meta-analysis of school-based universal interventions. *Child Development*, 82 (1), 474-501.
- Greenberg, M. T., Domitrovich, C. E., Weissberg, R.P., & Durlak, J.A. (2017). Social and emotional learning as a public health approach to education. *Future of Children*, 27(1), 13–32. Retrieved on 29th October 2017 from: <http://files.eric.ed.gov/fulltext/EJ1144819.pdf>
- Jauk, M., & Reicher, H. (2012). *Teachers coping with stress- efficacy of the primary prevention program health and optimism*. Paper presented at the 1st Change4Change International Conference, Maribor, Slovenia. Retrieved on 30th October 2017 from: https://www.ph-online.ac.at/phst/voe_main2.getVollText?pDocumentNr=859475&pCurrPk=4120
- Jauk, M., & Wieser, A. (2011). *GO!-L Gesundheit und Optimismus für LehrerInnen Entwicklung und Evaluation eines Präventionsprogramms gegen Stress, Angst, Depression und Burnout: eine Pilotstudie* (GO-Teacher. Health and optimism for teachers. Development and evaluation of a prevention program against stress, anxiety, depression and burn-out: A pilot study). (Doctoral dissertation, University Graz). Retrieved on 29th October 2017 from: <http://unipub.uni-graz.at/download/pdf/215266>.
- Jauk, M., Wieser, A., Allmer, M., Haider, S., & Reicher, H. (2010). *Evaluating gender-specific aspects of mental health promotion programmes in adolescence*. Poster presented at the 12th Biennial Conference of the European Association for Research on Adolescence, Vilnius, Lithuania.
- Junge, J., Neumer, S., Manz, R., & Margraf, J. (2002). *Gesundheit und Optimismus GO. Trainingsprogramm für Jugendliche* (Health and optimism. Training program for adolescents). Weinheim: Beltz.
- Matschek-Jauk, M., Krammer, G., & Reicher, H. (2017, in press): The Life-Skills Program Lions-Quest in Austrian Schools: Implementation and Outcomes. *Health Promotion International*. doi: 10.1093/heapro/dax050
- Reicher, H. (2003). *Teachers and peers' sensitivity to depression and unhappiness reported by adolescent pupils*. Paper presented at the XI European Conference on Developmental Psychology, Milano, Italy.
- Reicher, H. (2010a). Building inclusive education on social and emotional learning. *International Journal of Inclusive Education*, 14(3), 213–246. doi: 10.1080/13603110802504218
- Reicher, H. (2010b). *Sozial-emotionales Lernen im Kontext inklusiver Pädagogik. Potenziale und Perspektiven* (Social-emotional learning in the context of inclusive education: potentials and perspectives). Graz: Leykam Universitätsverlag.

- Reicher, H. (2017). Depressive Kinder und Jugendliche im Schulkontext. Gefühlswelten verstehen und soziale Ausgrenzungsrisiken verringern. (Depressive children and adolescents in schools. Understanding their emotional world and reducing social exclusion risks). *Schweizerische Zeitschrift für Heilpädagogik*, 23(2), 31–37.
- Reicher, H., & Jauk, M. (2012). Programme zur Förderung sozialer Kompetenz im schulischen Setting (Programs for promotion of social competencies in school settings). In M. Fingerle & M. Grumm (Eds.), *Prävention von Verhaltensauffälligkeiten bei Kindern und Jugendlichen* (Prevention of behavioral disorders in children and adolescents) (pp. 29–48). München: Reinhardt.
- Reicher, H., & Matischek-Jauk, M. (2018, in press). Sozial-emotionales Lernen in der Schule: Konzepte – Potenziale – Evidenzbasierung (Social-emotional learning in school: concepts – potentials – evidence). In M. Huber & S. Krause (Eds.), *Bildung und Emotion* (Education and emotion) (pp. 249 – 268). Wiesbaden: Springer.
- Reicher, H., & Rossmann, P. (2008). Depressionen (Depression). In B. Gasteiger-Klicpera, H. Julius & Ch. Klicpera (Eds.), *Sonderpädagogik der sozialen und emotionalen Entwicklung. Handbuch der Sonderpädagogik, Band 3* (Special education of social and emotional development. Handbook of special education, Vol. 3) (pp. 243–257). Göttingen: Hogrefe.
- Reicher, H., Jauk, M., & Wieser, A. (2007). Gesundheit und Optimismus fördern - Depression, Angst und Stress vorbeugen: Begleitstudie zu einem Trainings- programm für Jugendliche (Promoting health and optimism – Preventing depression, anxiety and stress. Implementation study on a training program for youth). *Erziehung und Unterricht*, 157(9/10), 972–984.
- Seeley, J. R., & Lewinsohn, P.M. (2008). Epidemiology of mood disorders during adolescence: implications for lifetime risk. In N.N. Allen & L.B. Sheeber (Eds.), *Adolescent emotional development and the emergence of depressive disorders* (pp. 33–55). Cambridge, Cambridge University Press.
- Sklad, M., Diekstra, R., de Ritter, M., Ben, J., & Gravesteyn, C. (2012). Effectiveness of school-based universal social, emotional, and behavioral programs: Do they enhance students' development in the area of skill, behavior, and adjustment? *Psychology in the Schools*, 49(9), 892-909.
- Talvio, M. (2014). *How do teachers benefit from training on social interaction skills? Developing and utilising an instrument for the evaluation of teachers' social and emotional learning*. (Doctoral dissertation, University of Helsinki). Retrieved 29th October 2017 from: <https://helda.helsinki.fi/bitstream/handle/10138/136437/howdotea.pdf?sequence=1>
- Taylor, R. D., Oberle, E., Durlak, J. A., & Weissberg, R. P. (2017). Promoting Positive Youth Development Through School-Based Social and Emotional Learning Interventions: A Meta-Analysis of Follow-Up Effects. *Child Development*, 88(4), 1156-1171.
- WHO: World Health Organization (2017). *"Depression: let's talk" says WHO, as depression tops list of causes of ill health*. Retrieved 29th October 2017 from: <http://www.who.int/mediacentre/news/releases/2017/world-health-day/en/>.

Wieser, A., Jauk, M., Reicher, H., & Peer, A. (2008). *Chances and limits of GO! within a selective setting. Results from Austria*. Paper presented at the 29th International Congress of Psychology, Berlin, Germany.