



MedSudMed

GCP/RER/010/ITA

Report of the Expert Consultation on the
Spatial Distribution of Demersal Resources in the Straits of Sicily and
the Influence of Environmental Factors and Fishery Characteristics

Gzira, Malta, 10–12 December 2002

The conclusions and recommendations given in this and in other documents in the *Assessment and Monitoring of the Fishery Resources and Ecosystems in the Straits of Sicily* Project series are those considered appropriate at the time of preparation. They may be modified in the light of further knowledge gained in subsequent stages of the Project. The designations employed and the presentation of material in this publication do not imply the expression of any opinion on the part of FAO or MiPAF concerning the legal status of any country, territory, city or area, or concerning the determination of its frontiers or boundaries.

Preface

The Regional Project “Assessment and Monitoring of the Fishery Resources and the Ecosystems in the Straits of Sicily” (MedSudMed) is executed by the Food and Agriculture Organization of the United Nations (FAO) and funded by the Italian Ministry of Agriculture and Forestry Policies (MiPAF).

MedSudMed promotes scientific cooperation between research institutions of the four participating countries (Republics of Italy, Libya, Malta and Tunisia), for the continuous and dynamic assessment and monitoring of the status of the fisheries resources and the ecosystems in this area of the Mediterranean.

Research activities and training are supported to increase and use knowledge on fisheries ecology and ecosystems, and to create a regional network of expertise. Particular attention is given to the technical coordination of the research activities between the countries, which should contribute to the implementation of the Ecosystem Approach to Fisheries. Consideration is also given to the development of an appropriate tool for the management and processing of data related to fisheries and their ecosystems.

FAO-MedSudMed Project HQ
Via Luigi Vaccara, 61
91026 Mazara del Vallo (TP), Italy

Tel: +39 0923 909800
Fax: +39 0923 672068
e-mail: faomedsudmed@faomedsudmed.org
URL: <http://www.faomedsudmed.org>

GCP/RER/010/ITA Publications

The MedSudMed Project publications are issued as a series of Technical Documents (GCP/RER/010/ITA/MSM-TD-00) related to meetings, missions and research organized by or conducted within the framework of the Project.

Comments on this document would be welcomed and should be sent to the Project headquarters:

FAO MedSudMed
Via Luigi Vaccara, 61
91026 Mazara del Vallo (TP)
Italy
faomedsudmed@faomedsudmed.org

For bibliographic purposes this document
should be cited as follows:

MedSudMed. 2004. Report of the Expert Consultation on the Spatial Distribution of Demersal Resources in the Straits of Sicily and the Influence of Environmental Factors and Fishery Characteristics. GCP/RER/010/ITA/MSM-TD-02. *MedSudMed Technical Documents*, 2: 102 pp.

Preparation of this document

This document is the final version of the report of the Expert Consultation on the Spatial Distribution of Demersal Resources in the Straits of Sicily and the Influence of Environmental Factors and Fishery Characteristics, organized by the FAO-MedSudMed Project (*Assessment and Monitoring of the Fishery Resources and the Ecosystems in the Straits of Sicily*), in Gzira, Malta 10–12 December 2002.

The document was edited by D. Levi, T. Bahri, M. Camilleri, O. Jarboui, F. Massa, S. Ragonese and S. Zgozi.

Acknowledgements

The kind hospitality provided by the Malta Centre for Fisheries Sciences through the Director, Dr Antony Gruppetta, is gratefully acknowledged. The assistance of Mr Ray Griffiths in the technical editing and Anna Lisa Alessi in the preparation of the document is acknowledged.

MedSudMed.

Report of the Expert Consultation on the Spatial Distribution of Demersal Resources in the Straits of Sicily and the Influence of Environmental Factors and Fishery Characteristics, Gzira, Malta, 10–12 December 2002.

MedSudMed Technical Documents No.2. GCP/RER/ITA/MSM-TD-02, Mazara del Vallo, 2004: 102 pp.

ABSTRACT

The first Expert Consultation, Spatial Distribution of Demersal Resources in the Straits of Sicily and the Influence of Environmental Factors and Fishery Characteristics, was held in Malta from 10 to 12 December 2002. All four MedSudMed countries (Tunisia, Malta, Libya, Italy) were represented, as well as colleagues from the Copemed Project and one external expert from the University of Plymouth. As agreed during the Coordination Committee meeting, the objective of the Expert Consultation was to provide an overview of available knowledge on the issue, draw up a programme for the activities to be implemented on the basis of common methodology, propose pilot study cases and identify needs in national and regional expertise. The technical contributions regarded four main themes: fishery biology, physical environment, biocenoses, and tools and data management. A synthesis was made by working groups who provided a summary of the available knowledge and data, a listing of the gaps and recommendations to fill these gaps. Discussions were conducted towards an agreement on an indicative work plan. The adoption of common methods and terminology was considered of utmost importance. The standardization of available data and sampling design also appeared as a priority.

Table of Contents

Preface.....	ii
Opening of the consultation.....	1
Organization of the consultation.....	2
Experts' contributions.....	3
Reports of sessional working groups.....	6
Synthesis of the gaps in knowledge.....	9
Synthesis of the recommendations.....	9
Indicative work plan and activities.....	10
Annex A: List of Participants.....	13
Annex B: Agenda.....	16
Annex C: Terms of reference.....	17
Influence of environmental parameters and fishery on demersal fish distribution along the Tunisian coast (Othman Jarbouï and Amor El Abed, <i>abstract only</i>).....	20
The effects of environmental factors on the distribution of crustaceans along the Tunisian coast (Hechmi Missaoui, <i>abstract only</i>).....	23
Distribution and abundance of the demersal fish community in Klang Strait (Malaysia) in relation to environmental factors (Salem W. Zgozi, <i>abstract only</i>).....	24
Viability of exploiting virgin trawlable fishing areas (Charles Busuttil, <i>abstract only</i>).....	25
Maltese offshore benthic habitats and biota (Patrick J. Schembri, <i>abstract only</i>).....	28
Acquisition and analysis of benthic photographs (Derek Pilgrim, <i>abstract only</i>).....	29
Mapping of the hydrographical characteristics relevant to fisheries in the vicinity of the Maltese Islands (Aldo Drago, <i>abstract only</i>).....	30
Available meteorological data series relevant to fishery ecology (Francis T. Gauci, <i>abstract only</i>).....	32
Review of environmental data available to the public on the Web (Vincenzo Giacalone, <i>abstract only</i>).....	33
Application of remote-sensing technology to the study of the spatial distribution of demersal resources and the influence of environmental factors in the central Mediterranean (Charles Galdies, <i>abstract only</i>).....	35
Modelling of environmental conditions relevant to assessment of fishery resources and ecosystems in the central Mediterranean (Slobodan Nickovic and Anton Micallef, <i>abstract only</i>).....	37
Knowledge and spatial management tools for the environmental sciences (Matthew Gatt, Carol Agius and Matthew Camilleri, <i>abstract only</i>).....	39
The "Ressources" application (Alexis Bensch, Othman Jarbouï, <i>abstract only</i>).....	41
Potential biological and environmental influences on the <i>Octopus vulgaris</i> population of the Gulf of Gabès (south-eastern Tunisian coast) (S. Ezzeddine, A. El Abed).....	42

Some relevant information on the spatial distribution of demersal resources, benthic biocoenoses and fishing pressure in the Strait of Sicily (F. Fiorentino, G. Garofalo, M. Gristina, S. Gancitano, G. Norrito).....	50
Overview of the available biological information on demersal resources of the Strait of Sicily (S. Ragonese, M. G. Andreoli, G. Bono, G. B. Giusto, P. Rizzo, G. Sinacori).....	67
Commercial demersal marine species of Libya (A. A. Rawag, D. A. Haddoud, S. W. Zgozi).	75
Sessile megabenthic species from Tunisian littoral sites (K. B. Mustapha, A. Afli, A. Hattour, A. El Abed).....	82
The HRPT station at IRMA–CNR in Mazara del Vallo for the acquisition and analysis of satellite data in the Strait of Sicily (G. Pernice).....	98

Application of remote-sensing technology to the study of the spatial distribution of demersal resources and the influence of environmental factors in the central Mediterranean

Charles Galdies*

Abstract

It is herein proposed to construct, validate and demonstrate a pilot remote-sensing application for a fishery management information system to assess and monitor the fishery resources and the ecosystems in the central Mediterranean. This could be partly achieved through state-of-the-art multidisciplinary and computational capabilities. This information system will mainly contribute to understanding how the environment affects the distribution of fish and influences recruitment.

A number of commercially important fish populations respond to changes in environmental conditions on inter-annual and longer time-scales. To relate physical variability to fluctuations in marine populations, one must understand how the ocean varies in space and time, particularly the primary patterns, sources, and mechanisms of inter-annual to decadal variability. Remote sensing can assist the MedSudMed Project to investigate changes in the central Mediterranean Sea on decadal scales from historical data, so as to determine physical mechanisms that lead to these changes. It would be relevant: (1) to develop indices of environmental conditions that can be applied to problems of fishery recruitment and population dynamics; and (2) to seek straightforward algorithms for the near-real-time estimation of important physical oceanic fields (e.g. water transport, mixed-layer depth, biologically effective upwelling) from readily available variables.

It has been demonstrated that the use of environmental data (such as sea-surface temperature¹, water colour, suspended solids, currents, ocean fronts, etc.) from satellite and airborne remote sensing can assist in the detection of migratory fish. Such an approach is being currently interpreted in the USA to provide intelligent tools and services to the fishing community, such as daily "road maps" to the fish. The strategy is to combine fishery oceanography and real-time satellite remote sensing to produce tactical and strategic fishery forecasts.

Therefore, a remote-sensing component within the MedSudMed Project could implement the following research:

- Synthesis and analysis of previously unanalysed environmental data sets acquired by remote sensing, using modern statistical and image-processing techniques to characterize and evaluate the regional marine fisheries habitat.

* Remote Sensing & GIS Programme, Euro-Mediterranean Centre on Insular Coastal Dynamics, Foundation for International Studies, St. Paul Street, Valletta VLT07, Malta; Tel.: 00356 21230042; Fax: 00356 21245764; e-mail: c.galdies@icod.org.mt

¹ Demersal fish follow bait and comfortable water temperatures. For various reasons bait congregates at certain "structures", such as strong temperature gradients, which may indicate different water masses that do not easily mix. By locating and correlating the potential of bait to concentrate and the comfortable water temperature range for the target species with in situ data, one can trace the bait's movement and migration.

- Integration of efforts of remote sensing and state-of-the-art predictive modelling, including physical, biological and fishery data, to assess the interaction and use of remotely sensed data to study the effects of regional climatic variations on oceanographic processes important to fish populations.

Using its ground receiving station, Euro-Mediterranean Centre on Insular Coastal Dynamics (ICoD) is able to supply near-real-time processed data from raw data supplied by NOAA polar-orbiting satellites 12, 14, 15 and 16. These data, in conjunction with calibration software, would provide 1-km sea-surface temperature resolution for the central Mediterranean area. In addition to NOAA AVHRR data, data related to ocean colour is also received and processed. One key component of such data is chlorophyll-*a*, which is a strong indicator of the presence of nutrients in the ecosystem under study. Additional instrumentation, such as airborne digital imaging and multi-spectral scanning systems, would also complement data enhancement for detailed, high-resolution information, especially for inshore coastal waters. Data acquisition, image processing and analysis could be carried out by ICoD staff.